Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	(compar$5 with ((old or aged) adj circuit$1) with (new adj circuit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:18
L2	1	(compar$5 with ((old or aged) adj circuit$1) with (new adj circuit$1) with performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:16
L3	1	(compar$5 with ((old or aged) adj circuit$1) with (new adj circuit$1) with opera$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:30
L4	29	(compar$5 with (old or aged) with new with performance) and (electronic$1 or computer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:22
L5	1	(compar$5 with ((old or aged) adj (electronic$1 or circuit$1 or computer$1)) with (new adj (electronic$1 or circuit$1 or computer$1)) with performance) and (electronic$1 or computer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:30
L6	20	(compar$5 with ((old or aged) adj (electronic$1 or circuit$1 or computer$1)) with (new adj (electronic$1 or circuit$1 or computer$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:25
L7	3	(compar$5 with ((old or aged) adj (electronic$1 or circuit$1 or computer$1)) with (new adj (electronic$1 or circuit$1 or computer$1)) with (perform$3 or operat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:26
L8	1	(compar$5 with ((aged) adj (electronic$1 or circuit$1 or computer$1)) with (new adj (electronic$1 or circuit$1 or computer$1)) with performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:31
L9	1	(compar$5 with ((aged) adj (electronic$1 or circuit$1 or computer$1)) with (new adj (electronic$1 or circuit$1 or computer$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:31

L10	19	(compar$5 with ((old) adj (electronic$1 or circuit$1 or computer$1)) with (new adj (electronic$1 or circuit$1 or computer$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:33
L11	0	(MTTF or (mean adj time adj "to" adj fail)) same performance same circuit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:34
L12	3	(MTTF same compar$5 same circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:36
L13	4	compar$5 with performance with old with new with (circuit$1 or computer$1 or electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:12
L14	0	("20020167282".pn.) and oscillator and (frequency adj multipl$4) and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:13
L16	2	(oscillator same (frequency adj multipl$4) same (clock adj generation adj circuit$1)) and ((adjust$3 or chang$3) with frequency with oscillator with multipl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:52
L17	0	(computer adj readable adj medium) with program$1 with execut$3 with (electronic adj system) with (adjust$3 with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:54
L18	1	((computer adj readable adj medium) with program$1 with execut$3) same (electronic adj system) same (adjust$3 with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:55
L19	1	((computer adj readable adj medium) with program$1 with execut$3) same (electronic adj system) same ((adjust$3 or chang$3) with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:55
L21	1	((computer adj readable adj medium) with program$1 with execut$3) same (electronic) same ((adjust$3 or chang$3) with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 14:56

L22	1	((computer adj readable adj medium) with program$1 with execut$3) same (electronic) same ((adjust$3 or chang$3 or modif$7) with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 14:56
L24	14	((computer adj readable adj medium) with program$1 with execut$3) same ((adjust$3 or chang$3 or modif$7) with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 15:06
L25	1	((computer adj readable adj medium) with program$1 with execut$3) same ((adjust$3 or chang$3 or modif$7) adj frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 14:58
L26	530	((computer adj readable adj medium) with program$1 with execut$3) and ((adjust$3 or chang$3 or modif$7) with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 15:06
L27	23	((computer adj readable adj medium) with program$1 with execut$3) and ((adjust$3 or chang$3 or modif$7) with frequency) and (electronic same performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 16:48
L28	276	714/799.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 16:51
L29	416	714/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 16:53
L30	572	700/79.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 16:53
L31	845	714/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 16:54
L32	285	714/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/12/08 16:54

L33	1686	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:55
S1	2	"20050043910".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:39
S2	1713	714/746.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:17
S3	0	(714/746.ccls.) and ((frequency adj (chang$3 or modif$7 or updat$3)) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:19
S4	0	(714/746.ccls.) and ((frequency adj (chang$3 or modif$7 or updat$3 or adjust$3)) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:20
S5	1	(714/746.ccls.) and ((frequency with (chang$3 or modif$7 or updat$3 or adjust$3)) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:23
S6	5668	((frequency with (chang$3 or modif$7 or updat$3 or adjust$3)) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:24
S7	659	((frequency adj (chang$3 or modif$7 or updat$3 or adjust$3)) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:24
S8	649	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:25
S9	3	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and (age with (electronic$1 adj system$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:37

S10	3	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life) with (electronic$1 adj system$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:38
S11	4	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life or year$1) with (electronic$1 adj system$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:40
S12	19	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life or year$1) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:42
S13	3	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life or year$1) with electronic$1) and ((performance adj parameter$1) with (operat$3 adj frequenc$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:42
S14	3	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life or year$1) with electronic$1) and(performance adj parameter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:42
S15	3	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life or year$1) with electronic$1) and (performance adj parameter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:42
S16	19	((frequency adj (chang$3 or modif$7 or adjust$3)) with electronic$1) and ((age or life or year$1) with electronic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:42
S17	2	"20050043910".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:48
S18	0	(mean adj time adj to adj fail$3) and (performance adj parameter$1) and (operat$3 adj frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:49
S19	0	(mean adj time adj to adj fail$3) and (performance adj parameter$1) and (frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:49

S20	0	(mean adj time adj "to" adj fail$3) and (performance adj parameter$1) and (frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:49
S21	1	(mean adj time adj "to" adj fail$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:50
S22	2121	((mean adj time) with fail$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:51
S23	3	((mean adj time) with fail$3) and (performance adj parameter$1) and electronic and (adjust$3 with (operat$3 adj frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:24
S24	3	(age with (performance adj parameter$1)) same electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:26
S25	3	(age with (performance adj parameter$1)) and electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:27
S26	37	((age or life) with (performance adj parameter$1)) and electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:28
S27	5	((age or life) with (performance adj parameter$1)) and electronic and (adjust$3 with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S28	18	((age or life) with (performance adj parameter$1)) and electronic and (frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S29	3	((age or life) with determin$2 with (performance adj parameter$1)) and electronic and (frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32

S30	3	((age or life) with determin$2 with (performance adj parameter$1)) and electronic$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S31	4	((age or life) with determin$2 with (performance adj parameter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:34
S32	11	(determin$2 adj (performance adj parameter$1)) with (life or age or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S33	1	(determin$2 adj (performance adj parameter$1)) with (life or age)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:37
S34	1	(determin$2 adj (performance adj parameter$1)) with (life or age or year$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:44
S35	22	((mean adj time) with failure) same (performance adj parameter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:41
S36	11	(determin$2 adj (performance adj parameter$1)) with (life or age or year$1 or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:46
S37	6	(performance with parameters with age) same electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:58
S38	44	(performance with parameters with age) and electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:52
S39	45	(performance with parameter$1 with age) and electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:52

S40	0	("3575256".pn.) and ((performance with parameters with age) same electronic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:59
S41	1	("3575256".pn.) and (performance with age)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:31
S42	2	"20050043910".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:17
S43	1	compar$5 with speed with (aged adj circuit$1) with (test adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:21
S44	1	compar$5 with speed with (aged adj circuit$1) with (circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:22
S45	1	compar$5 with speed with (aged adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:22
S46	1	compar$5 with speed with (age$3 adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:22
S47	22	compar$5 with speed with (ag$3 adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:25
S48	1	compar$5 with speed with (ag$3 adj circuit$1) with (test adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:23
S49	1	compar$5 with speed with (ag$3 adj circuit$1) with (test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:23

S50	0	compar$5 with speed with (ag$3 adj circuit$1) with (new)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:23
S51	1	compar$5 with speed with ((aged or old) adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:26
S52	1	compar$5 with (speed or operation$1) with ((aged or old) adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:26
S53	18890	compar$5 with speed with circuit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:27
S54	5	(compar$5 with speed with circuit$1) with old	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:28
S55	0	(compar$5 with speed with (old adj circuit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:29
S56	1	(compar$5 with speed with (aged adj circuit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:46
S57	56	(compar$5 with speed with circuit$1 with (test$3 adj circuit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:53
S58	2	(compar$5 with speed with circuit$1 with (test$3 adj circuit$1)) and age	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:47
S59	1	(compar$5 adj speed) with circuit$1 with (test$3 adj circuit$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:50

S60	4	(compar$5 adj speed) with circuit$1 with test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:50
S61	40	(compar$5 adj speed) with circuit$1 with electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:55
S62	5	compar$5 adj speed adj circuit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 17:59
S63	0	comparing adj speed adj circuit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:00
S64	179	(comparing adj speed) with circuit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:04
S65	2	(comparing adj speed) with circuit$1 with test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:00
S66	0	(comparing adj speed) with (two adj circuits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:07
S67	0	(compar$3 adj speed) with (two adj circuits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:08
S68	51	(compar$3 adj speed) with (circuits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:13
S69	0	"comparing speed of the circuits"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:14

S70	0	"comparing speed of circuits"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:14
S71	0	"comparing circuits speed"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:14
S72	53	(comparing adj circuits) with speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:16
S73	0	comparing adj circuits adj speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 18:16
S74	2	"20020167282".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:06
S75	3	"3575256".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:12
S76	1	((error$1 adj detect$3) with circuit$1) same (age$1 with electronic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:13
S77	6	((error$1 adj detect$3) with circuit$1) same age$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:38
S78	0	(lower$3 with frequency) with error$1 with ("not" adj (occur$3 or reoccur$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S79	131	(lower$3 with frequency) with error$1 with ("not" or "no")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:42

S80	18	(lower$3 adj frequency) with error$1 with ("not" or "no")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S81	1	(lower$3 adj operating adj frequency) with error$1 with ("not" or "no")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:46
S82	8	(lower$3 adj operating adj frequency) with error$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:15
S83	0	(lower$3 adj operating adj frequency) with error$1 with "not" with (reoccur$4 or occur$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:16
S84	0	(operating adj frequency) with error$1 with "not" with (reoccur$4 or occur$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:17
S85	25	(operating adj frequency) with error$1 with ("no" or "not")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:58
S86	2	"20020167282".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:38
S87	0	(reliablility adj test$3) same (supply adj voltage) same (ambient adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:40
S88	0	(reliability adj test$3) same (supply adj voltage) same (ambient adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:41
S89	1	(reliability with test$3) same (supply adj voltage) same (ambient adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:42

S90	487	(reliability with test$3) same (voltage) same (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:42
S91	25	(reliability with test$3) same (supply adj voltage) same (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:07
S92	1	(reliability with test$3) same (supply adj voltage) same (temperature with ambient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:43
S93	0	(reliability with test$3) same (nominal adj supply adj voltage) same (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:43
S94	1	(performance adj parameters) with (receiv$3) with (external adj source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:08
S95	3	(performance adj parameters) with (external adj source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:47
S96	34	ages with frequencies	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:51
S97	1	ages with (operating adj frequencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:48
S98	1	(ages with frequencies) and (clock adj generat$3 adj circuit) with (aging or wear$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:50
S99	1	(ages with frequencies) and (clock adj generat$3 adj circuit) with (aging or wear$3 or life)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:50

S100	16	(ages with frequencies) and electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:53
S101	2	(ages with frequencies with performance) and electronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:54
S102	2	(ages with frequencies with performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:56
S103	1	(ages with frequencies with (performance adj parameters))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 17:56